



### Servoy Server Home

[Network Settings](#)  
[Profiles](#)  
[Server Plugins](#)  
[Database Servers](#)  
[Clients](#)  
[Solutions](#)  
[Locks](#)  
[Transactions](#)  
[Users](#)  
[Batch Processors](#)  
[Upload Library](#)

[Licenses](#)  
[Server Log](#)  
[Performance Data](#)

### Running queries

No running queries

### Performance Statistics

[Clear statistics.](#)

[\[ bottom \]](#)

Total Time (mm:ss:ms)	Count	Avg Time (mm:ss:ms)	Type	Action
02:10:181	12800	00:00:010	Relation	select creation_date, entrance_date, exit_date, modification_date, person_id, role_life_cycle_state_status, role_supplementary_name, role_id from persons_roles where person_id = ? order by person_id asc, role_id asc
00:32:202	13806	00:00:002	Relation	select common_class_course_per_class, course_code, course_period_fraction_name, course_period_school_year, course_subject_code, creation_date, is_dispersed, mark, modification_date, number_of_lessons_excused, number_of_lessons_missed, period_fraction_name, period_school_year, person_id, profile_definition_level_number, profile_definition_profile_code, profile_definition_profile_period_fraction_name, profile_definition_profile_period_school_year, profile_definition_subject_type_code, profile_definition_subject_code, rating, rounding, treat_as_experience_mark from profile_positions where (period_school_year = ? and profile_definition_level_number = ? and period_fraction_name = ? and person_id = ?) order by period_fraction_name asc, period_school_year asc, person_id asc, profile_definition_level_number asc, profile_definition_profile_code asc, profile_definition_profile_period_fraction_name asc, profile_definition_profile_period_school_year asc, profile_definition_subject_code asc, profile_definition_subject_type_code asc
00:31:294	414	00:00:075		select "_average_of_exam_marks", "_average_of_promotion_marks", "_balance_of_promotion_marks", "_number_of_insufficient_promotion_marks", "_number_of_lessons_excused", "_number_of_lessons_missed", class_level_number, class_period_fraction_name, class_period_school_year, class_sign, creation_date, "function", modification_date, person_id, promotion_code, promotion_code_overwrite, promotion_code_start, promotion_discriminator, promotion_discriminator_start, school_fees, school_fees_remark, situation_from_date, situation_to_date, situation_code from class_members where (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ?

Load  
foundset[illegible]

				? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?)
00:23:395	12489	00:00:001	Relation	select "_responsibility_holder_address", contact_person_first_name, contact_person_last_name, contact_person_occupation, contact_person_sex_code, creation_date, discriminator, id, modification_date, name, name_addition, remark, sex_code, "_is_responsible", ahvn13, city_id_civic_rights_primary_location, city_id_civic_rights_secondary_location, city_id_civic_rights_third_location, civil_status, confession, country_code1, country_code2, date_of_birth, diploma_id_school_manager, diploma_id_teacher, first_name, former_school_class_level, former_school_teacher_id, former_school_location, former_school_name, intended_formation, intended_formation_apprenticeship_description, intended_formation_beginning, intended_formation_location, is_enrolment_cancelled, is_responsibility_overwritten, is_school_manager, middle_name, native_language_code, occupation, other_employer1, other_employer2, partner_first_name, partner_last_name, 1 as photo_SV_BLOB_M, predecessor_no_of_repetitions, profile_code, profile_period_fraction_name, profile_period_school_year, pwd, school_unit_id, short_sign, 1 as signature_SV_BLOB_M, statistical_entrance_date, title_id, usr, title from persons where id = ? order by id asc
00:20:519	13806	00:00:001	Aggregate SQL	select sum(cast(number_of_lessons_excused as double precision)) as sumOfLessonsExcused, count(person_id) as numberOfProfilePositions, sum(cast(number_of_lessons_missed as double precision)) as sumOfLessonMissed from profile_positions where (period_school_year = ? and profile_definition_level_number = ? and period_fraction_name = ? and person_id = ?)
00:15:912	6606	00:00:002	Update	update class_members set "_average_of_promotion_marks"=?, "_balance_of_promotion_marks"=?, "_number_of_insufficient_promotion_marks"=?, modification_date=? where (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?)
00:11:942	12489	00:00:000	Aggregate SQL	select count(id) as numberOfPersons from persons where id = ?
00:08:606	4405	00:00:001		select allow_assessment, assessment_code_exam_mark, assessment_code_mark, assessment_code_rating, certificate_super_subject_code, creation_date, exam_significance, exam_super_subject_code, is_class_course_position, level_number, link_code, lowest_class_size_for_work_quota,

			Relation	mar_code, modification_date, number_of_periods_for_experience_mark, partial_quantity, probation, profile_code, profile_period_fraction_name, profile_period_school_year, quantity, rule_subject_subject_type_code_add, rule_subject_subject_type_code_remove, rule_subject_subject_code_add, rule_subject_subject_code_remove, significance, subject_type_code, subject_code, teaching_partial_quantity, teaching_quantity, work_quota_share, work_quota_share_for_small_class_sizes from profile_definitions where (profile_code = ? and profile_period_fraction_name = ? and level_number = ? and subject_type_code = ? and profile_period_school_year = ? and subject_code = ?) order by level_number asc, profile_code asc, profile_period_fraction_name asc, profile_period_school_year asc, subject_code asc, subject_type_code asc
00:07:804	70	00:00:111	Load foundset	select class_level_number, class_period_fraction_name, class_period_school_year, class_sign, person_id from class_members order by class_level_number asc, class_period_fraction_name asc, class_period_school_year asc, class_sign asc, person_id asc
00:05:494	4405	00:00:001	Aggregate SQL	select count(profile_code) as numberOfProfileDefinitions from profile_definitions where (profile_code = ? and profile_period_fraction_name = ? and level_number = ? and subject_type_code = ? and profile_period_school_year = ? and subject_code = ?)
00:04:127	69	00:00:059		select "_average_of_exam_marks", "_average_of_promotion_marks", "_balance_of_promotion_marks", "_number_of_insufficient_promotion_marks", "_number_of_lessons_excused", "_number_of_lessons_missed", class_level_number, class_period_fraction_name, class_period_school_year, class_sign, creation_date, "function", modification_date, person_id, promotion_code, promotion_code_overwrite, promotion_code_start, promotion_discriminator, promotion_discriminator_start, school_fees, school_fees_remark, situation_from_date, situation_to_date, situation_code from class_members where (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ?

			Load foundset	? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?)
00:01:897	1145	00:00:001	Update	update class_members set "_average_of_promotion_marks"=?, modification_date=? where (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?)
00:01:063	730	00:00:001	Relation	select class_teacher_exists_next_period, class_level_number, class_period_fraction_name, class_period_school_year, class_sign, creation_date, exists_next_period, level_number, maximum_participants, minimum_participants, modification_date, next_period_sign, note, period_fraction_name, period_school_year, person_id_class_teacher, person_id_vicarious_class_teacher, sign, vicarious_class_teacher_exists_next_period from classes where (period_school_year = ? and period_fraction_name = ? and sign = ? and level_number = ?) order by level_number asc, period_fraction_name asc, period_school_year asc, sign asc
00:00:868	730	00:00:001	Aggregate SQL	select count(level_number) as numberOfClasses from classes where (period_school_year = ? and period_fraction_name = ? and sign = ? and level_number = ?)

00:00:194	98	00:00:001	Relation	select balance_calculation_exam, balance_calculation_probation_promotion, balance_calculation_promotion, code, creation_date, exam_certificate_baseline, exam_certificate_baseline_page2, exam_certificate_header, exam_certificate_profile_title, exam_certificate_subtitle, exam_certificate_title, max_number_of_insufficient_exam_marks, max_number_of_insufficient_marks, max_number_of_remotions, max_number_of_repeating_remotions, min_average_of_exam_marks, min_average_of_probation_marks, min_average_of_promotion_marks, min_balance_of_exam_marks, min_balance_of_probation_marks, min_balance_of_promotion_marks, modification_date, name, period_fraction_name, period_school_year, regulation_id, school_unit_id from profiles where (period_school_year = ? and period_fraction_name = ? and code = ?) order by code asc, period_fraction_name asc, period_school_year asc
00:00:118	98	00:00:001	Aggregate SQL	select count(code) as numberOfProfiles from profiles where (period_school_year = ? and period_fraction_name = ? and code = ?)
00:00:099	76	00:00:001	Relation	select creation_date, fraction_name, from_date, is_current, modification_date, school_year, to_date from periods where (fraction_name = ? and school_year = ?) order by fraction_name asc, school_year asc
00:00:074	83	00:00:000	Relation	select creation_date, modification_date, significance, subject_code, super_subject_code from super_subject_positions where (subject_code = ? and super_subject_code = ?) order by subject_code asc, super_subject_code asc
00:00:071	62	00:00:001	Relation	select classification, code, creation_date, modification_date, name, report_name, short_name from situations where code = ? order by code asc
00:00:031	1	00:00:031	Load foundset	select "_average_of_exam_marks", "_average_of_promotion_marks", "_balance_of_promotion_marks", "_number_of_insufficient_promotion_marks", "_number_of_lessons_excused", "_number_of_lessons_missed", class_level_number, class_period_fraction_name, class_period_school_year, class_sign, creation_date, "function", modification_date, person_id, promotion_code, promotion_code_overwrite, promotion_code_start, promotion_discriminator, promotion_discriminator_start, school_fees, school_fees_remark, situation_from_date, situation_to_date, situation_code from class_members where (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number =

				<div>? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?) or (class_level_number = ? and class_period_fraction_name = ? and class_period_school_year = ? and class_sign = ? and person_id = ?)</div>
--	--	--	--	--

[\[ top \]](#)